


# RETURN TO CHILD CARE CRITERIA


Adapted for ToTH Montessori

*Note: These scenarios include standard criteria to return to care for children and staff. Individual guidance from DC Health or a healthcare provider would always supersede these criteria.*


## Scenario 1: Child or Staff Member with COVID-19 Symptoms<sup>1</sup>



## Scenario 2: Child or Staff Member with a Positive COVID-19 Test Result<sup>3</sup>




### Scenario 3: Child or Staff Member with a Negative COVID-19 Test Result After Symptoms of COVID-19<sup>6</sup>




### Scenario 4: Child or Staff Member with Documentation from Healthcare Provider of Alternate Diagnosis After Symptoms of COVID-19




### Scenario 5: Child or Staff Member is a Close Contact of an Individual with Confirmed COVID-19<sup>7</sup>



## Scenario 6: Child or Staff Member is a Close Contact of an Individual Awaiting a COVID-19 Test Result



## Scenario 7: Child or Staff Member Traveled to Any Place Other than Maryland, Virginia, or a Low-Risk State, Country, or Territory



### Endnotes

- 1 Children or staff with pre-existing health conditions that present with specific COVID-19–like symptoms may not be excluded from entering the facility on the basis of those specific symptoms, if a healthcare provider has provided written or verbal documentation that those specific symptoms are not due to COVID-19.
- 2 Standard criteria to return after illness refers to the individual facility’s existing policies and protocols for a child or employee to return to child care after illness.
- 3 See DC Health’s Guidance for Persons Who Tested Positive for COVID-19 on [coronavirus.dc.gov/phasetwo](https://coronavirus.dc.gov/phasetwo) for more information.
- 4 Regardless of whether symptomatic or asymptomatic, close contacts (including all members of the household) must quarantine for at least 10 days.
- 5 Some individuals, including those with severe illness, may have longer quarantine periods per DC Health or their healthcare provider.
- 6 Per Scenario #5, a negative test result after close contact with an individual with confirmed COVID-19 does *not* shorten the duration of quarantine of at least 10 to 14 days.
- 7 DC Health strongly recommends that individuals who live or work with someone at higher-risk for COVID-19 quarantine for 14 days. See DC Health’s Guidance for Quarantine after COVID-19 Exposure on [coronavirus.dc.gov/healthguidance](https://coronavirus.dc.gov/healthguidance) for more information.
- 8 For the list of low-risk states, see [coronavirus.dc.gov/phasetwo](https://coronavirus.dc.gov/phasetwo). For the list of countries and territories by risk level, see [www.cdc.gov/coronavirus/2019-ncov/travelers/map-and-travel-notice.html](https://www.cdc.gov/coronavirus/2019-ncov/travelers/map-and-travel-notice.html).